Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	37460	switch and port and (timer counter) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	USPAT	OR	OFF	2005/12/06 15:36
S2	13616	switch and port and switch same (timer counter) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	USPAT	OR	OFF	2005/12/06 15:37
S3	9085	switch and port same (input and output) and switch same (timer counter) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:39
S4	5293	switch and port same (input and output) and switch same (timer counter) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825") and detection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:40
S5	3580	switch and port same (input and output) and switch same (timer counter) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825") and (detection detect$3) same predetermin$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:41
S6	3580	switch and ports same (input and output) and switch same (timer counter) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825") and (detection detect$3) same predetermin$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:43
S7	32	(switch and ports same (input and output)).ab. and switch same (timer counter) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825") and (detection detect$3) same predetermin$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:48

S8	389	(switch and ((three) first and second and third) with ports same (input and output)) and switch same (timer counter) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825") and (detection detect$3) same predetermin$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:52
S9	214	(switch and ((three) (first and second and third)) near5 ports same (input and output)) and switch same (timer counter) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825") and (detection detect$3) same predetermin$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:18
S10	1	T adj (switch conector) same port same (input and output) and switch same (timer counter) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825") and (detection detect$3) same predetermin$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:21
S11	1	T adj (switch connector) same port same (input and output) and switch same (timer counter) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825") and (detection detect$3) same predetermin$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:24
S12	7	T adj (switch connector) same port same (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825") and (detection detect$3) same predetermin$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:28
S13	12	T near3 (switch) same port same (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825") and (detection detect$3) same predetermin$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:34

S14	0	T near2 type near2 (switch) same port same (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825") and (detection detect$3) same predetermin$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:35
S15	0	((T near2 type near2 (switch)) or T-switch) same port same (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825") and (detection detect$3) same predetermin$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:36
S16	7	((T near2 type near2 (switch)) or T-switch) same port same (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:44
S17	649	((T near2 type near2 (switch)) or T-switch duplex) same port same (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:46
S18	9	((T near2 type near2 (switch)) or T-switch T$1switch) same port same (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:48
S19	17	((T with type near2 (switch)) or T-switch T$1switch (T adj switch)) same port same (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:53
S20	204	((T with type near2 (switch)) or T-switch T$1switch (T adj switch)) and port and (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:54
S21	174	((T near2 type near2 (switch)) or T-switch T$1switch (T adj switch)) and port and (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:58

S22	169	((T adj type adj (switch)) or T-switch T$1switch (T adj switch)) and port and (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 13:58
S23	18442557	(three near3 input and three near3 output) with switch (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 17:03
S24	819	(three near3 input and three near3 output) with switch and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 17:03
S25	111	(three near3 input and three near3 output) with port same switch and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 17:04
S26	169	(("T" adj type adj (switch)) or "T"-switch T$1switch ("T" adj switch)) and port and (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:14
S27	425	(("T" adj type adj (connector)) or "T"-connector or T$1connector or ("T" adj connector)) and port and (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:18
S28	163	(("T" adj type adj (connector)) or "T"-connector or T$1connector or ("T" adj connector)) and port and (input and output) and detect$4 and control$3 and (timer counter flip$1flop) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:28

S29	101	(("T" adj type adj (connector)) or "T"-connector or T$1connector or ("T" adj connector)) and port and (input and output) and detect$4 and control$3 and (timer counter flip$1flop) same time and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:32
S30	4	(("T" adj type adj (connector)) or "T"-connector or T$1connector or ("T" adj connector)) same port same (input and output) and detect$4 and control$3 and (timer counter flip$1flop) same time and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:35
S31	49	(("T" adj type adj (connector)) or "T"-connector or T$1connector or ("T" adj connector)) and port and port same (input and output) and detect$4 and control$3 and (timer counter flip$1flop) same time and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:06
S32	24	(three near3 input and three near3 output) with port same switch and port same (input and output) and detect$4 and control$3 and (timer counter flip$1flop) same time and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 16:18
S33	625	three with ports same switch and port same (input and output) and detect$4 and control$3 and (timer counter flip$1flop) same time and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:19
S34	70	three adj ports same switch and port same (input and output) and detect$4 and control$3 and (timer counter flip$1flop) same time and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:35
S36	452	370/216.ccls.	USPAT	OR	OFF	2005/12/08 10:47

S37	148	(("Y" adj type adj (switch)) or "Y"-switch Y$1switch ("Y" adj switch)) and port and (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:13
S38	70	(("Y" adj type adj (switch)) or "Y"-switch Y$1switch ("Y" adj switch)) and port and (input and output) and detect$4 and control$3 and (timer counter flip$1flop) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:13
S39	452	370/216.ccls.	USPAT	OR	OFF	2005/12/08 14:35
S40	1	S39 and three adj ports and switch and port same (input and output) and detect$4 and control$3 and (timer counter flip$1flop) same time and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:35
S41	1	"6545563".pn.	USPAT	OR	OFF	2005/12/08 14:44
S42	25	("3765020" | "3810182" | "3840827" | "4065736" | "4458219" | "4490721" | "4502027" | "4517526" | "4637073" | "4638190" | "4649393" | "4652883" | "4734751" | "4806937" | "4890077" | "4899118" | "4945360" | "4961062" | "4967201" | "4983981" | "4994773" | "5049841" | "5093667" | "5317290" | "5412414").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/08 14:55
S43	1	"5963540".PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/08 14:56
S44	1	"5610913".PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/08 14:56
S45	4	("5343462" | "5430722" | "5461607" | "5475696").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 14:04
S46	0	WO9923853$.did.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 14:04
S47	0	"WO9923853$.did"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 14:04

S48	0	WO199923853$.did.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 14:05
S49	0	WO-199923853$.did.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 14:05
S50	0	WO-9923853$.did.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 14:09
S51	1	"5568479".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 14:10
S52	11	("4993018" | "5182750" | "5255266" | "5280483" | "5303236" | "5313453" | "5315588" | "5335222" | "5339318" | "5343462" | "5444699").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 15:13
S53	1	"5355372".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 15:13
S54	18443190	(("T" adj type adj (switch)) or "T"-switch T$1switch ("T" adj switch)) same (timer counter) (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:15
S55	124	(("T" adj type adj (switch)) or "T"-switch T$1switch ("T" adj switch)) same (timer counter) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:34
S56	1102	(("T" adj type adj (switch)) or "T"-switch T$1switch ("T" adj switch)) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:36
S57	978	S56 not S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:35
S58	1062	("T"-switch ("T" adj switch)) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:37

S59	978	S57 not S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:37
S60	2257	(three "3") with port same switch and port same (input and output) and detect$4 and control$3 and (timer counter flip$1flop) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 16:19
S61	765	(three "3") near2 port same switch and port same (input and output) and detect$4 and control$3 and (timer counter flip$1flop) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 16:20
S62	219	(three "3") adj port same switch and port same (input and output) and detect$4 and control$3 and (timer counter flip$1flop) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 16:24
S63	104	(three "3") adj port with switch and port same (input and output) and detect$4 and control$3 and (timer counter flip$1flop) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 16:24
S64	18	("5428611" | "5477540" | "5491801" | "5537413" | "5557607" | "5572522" | "5633859" | "5668951" | "5675576" | "5675742" | "5732087" | "5805577" | "5898669" | "5898670" | "6134218" | "6151303" | "6163542" | "6278714").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 22:54